

The model 1053-06 wireless LAN access point enclosure is a locking, 2' x 2' ceiling tile enclosure designed to be large enough for the Cisco 1250, 1260, and 3500e series wireless access points. The enclosure accommodates many other manufacturers access points with Oberon's optional universal mounting plate. This aesthetic, white powder coated steel enclosure has openings in the door for up to six antennas. No ceiling tile cuts are required for installation.



Model 1053-06 shown with (6) optional Oberon 34-ZDUAL Antennas and Cisco 1252 AP (not included)

Specifications:

- Ceiling tile enclosure large enough for the Cisco 1250, 1260, and 3500e series APs
- Accommodates many other manufacturers access points with Oberon universal mounting plate P/N 38-1052-MNT-KIT
- UL Listed and designed to meet NEC300-22 and 300-23 for plenum installations
- OSHPD approved, OPA # 1638
- Accommodates up to (6) external antennas using the bulkhead connector kit for dipole antennas (Oberon P/N 35-BULKHD-KIT) or Oberon 34-ZDUAL or 34-DMDUAL antennas
- Construction: textured white powder coated steel
- Fully hinged locking door, keyed alike
- Size: Flange is 2' x 2', AP Enclosure is 13" x 13" x 5" deep
- Weight: 15lbs (not including access point or antennas)
- Enclosure must be supported by the building ceiling structural system, not tile gridwork.

Model 1053-06 includes:

- Snap lock mounting plate for the Cisco 1250 access point
- Three light pipes to view access point LED's externally
- (4) Suspension wires
- (2) 3/4" trade clamp connectors for power and data cable openings in the back-box
- Mounting Instructions