

The model 1055-AN wireless LAN access point enclosure is a locking, 2' x 2' ceiling tile enclosure designed specifically for the Aruba Networks access points with *non-detachable* antennas (AP-65, AP-121, AP-125). This aesthetic, white powder coated steel enclosure has an impact resistant, RF transparent dome that extends only 4.5" below the ceiling plane. No ceiling tile cuts are required for installation.



Model 1055-AN shown with Aruba Networks AP-121 (not included)

### Specifications:

- Ceiling tile enclosure specifically designed for Aruba Networks access points with *non-detachable* antennas (AP-65, AP-121, AP-125).
- AP-65 requires Aruba Networks AP-65-MNT mounting bracket. AP-121 and AP-125 require the Aruba Networks AP-120-MNT mounting bracket. (Order from Aruba Networks)
- UL listed and designed to meet NEC300-22 and 300-23 for plenum installations
- OSHPD approved OPA # 1638
- Construction: textured white powder coated steel enclosure, UL-94V5A impact resistant textured white ABS dome
- Fully hinged locking door, keyed alike
- Size: Flange is 2' x 2', access point enclosure is 12.5" x 12.5" x 3.3" deep
- Weight: 13lbs (not including access point or antenna)
- De-rate upper operating temperature limit from +50°C to +40°C when AP in the enclosure
- Enclosure must be supported by the building ceiling structural system, not tile gridwork.

### Model 1052-AN includes:

- Access point mounting screws
- (4) Suspension wires
- (2) 3/4" trade clamp connectors for power and data cable openings in the back-box
- Mounting Instructions